






RoHS

REVISION RECORD 修改紀錄					
REV	ECO	DESCRIPTION	DATE	DRFT	CHKD

- NOTES:
- SEE QSFP-DD MSA SPECIFICATION FOR BEZEL LOCATION TOLERANCE
 - DATUM -A- IS TIP SURFACE OF HOST BOARD PER MSA
 - FINISHED HOLE SIZE (AFTER PLATING)
 - DATUM -K- IS HOST BOARD THRU HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 - DATUM -L- IS HOST BOARD THRU HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 - DATUM -T- IS HARD STOP ON CAGE PER MSA

單位: mm		DFTO: Edea	DATE: 2023, 05, 23	ELLAX CORPORATION		
長度公差	角度公差	CHKD: YJ	DATE: 2023, 05, 23			
.0± 0.25	0°± 2°	APPVL: OC	DATE: 2023, 05, 23			
.00± 0.15		脫模角:	顏色:			
.000± 0.10			MATERIAL: 材 質	TITLE: QSF56-DD CAGE 1x1 W/ HEATSINK		
		TREAT: 處 理	DWG NO. ELQSFDP-12T0-2N	SIZE	REV	
		QTY: 數 量	DRAWING NO: 圖檔編號 ELQSFDP-12T0-2X	A4	A	
		SCALE: 比 例 1 : 1	PART NO: 零件編號	2	of 3	
THIRD ANGLE PROJECTION						



- NOTES:
- SEE QSFP-DD MSA SPECIFICATION FOR BEZEL LOCATION TOLERANCE
 - DATUM -A- IS TIP SURFACE OF HOST BOARD PER MSA
 - FINISHED HOLE SIZE (AFTER PLATING)
 - DATUM -K- IS HOST BOARD THRE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 - DATUM -L- IS HOST BOARD THRE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 - DATUM -T- IS HARD STOP ON CAGE PER MSA

單位: mm		DFTO: Edea	DATE: 2023, 05, 23	ELLAX CORPORATION		
長度公差	角度公差	CHKD: YJ	DATE: 2023, 05, 23			
.0± 0.25	0°± 2°	APPVL: OC	DATE: 2023, 05, 23	TITLE: QSFP56-DD CAGE 1x1 W/ HEATSINK		
.00± 0.15		脫模角:	顏色:			
.000± 0.10			MATERIAL: 材 質	DWG NO. ELQSPD-12T0-2N		
			TREAT: 處 理			
			QTY: 數 量	DRAWING NO: 圖檔編號 ELQSPD-12T0-2X		A4
			SCALE: 比 例 1 : 1	PART NO: 零件編號		A
				3 of 3		