










RoHS

REVISION RECORD 修改紀錄					
REV	ECO	DESCRIPTION	DATE	DRFT	CHKD



- NOTES:
1. SEE zQSF+ MSA SPECIFICATION FOR BEZEL LOCATION TOLERANCE
 2. DATUM -A- IS TIP SURFACE OF HOST BOARD PER MSA
 3. FINISHED HOLE SIZE (AFTER PLATING)
 4. DATUM -K- IS HOST BOARD THREE HOLE #1 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 5. DATUM -L- IS HOST BOARD THREE HOLE #2 TO ACCEPT CONNECTOR GUIDE POST PER MSA
 6. DATUM -T- IS HARD STOP ON CAGE PER MSA

單位: mm		DFTO: Edea	DATE: 2023, 05, 23	ELLAX CORPORATION			
長度公差	角度公差	CHKD: Y J	DATE: 2023, 05, 23				
.0 ± 0.25	0° ± 5°	APPVL: W. B. Huang	DATE: 2023, 05, 23				
.00 ± 0.15		脫模角:	顏色:				
.000 ± 0.10			MATERIAL: 材 質	TITLE: QSF28 CAGE 1X4 W/ HEATSINK			
			TREAT: 處 理				DWG NO.
			QTY: 數 量	DRAWING NO: 圖檔編號	ELQSFPP-42T0-2X	A4	A
			SCALE: 比 例 1 : 1	PART NO: 零件編號	2 of 3		
		THIRD ANGLE PROJECTION					

DWG NO.	ELQSFPP-42T0-20	SIZE	REV
DRAWING NO: 圖檔編號	ELQSFPP-42T0-2X	A4	A
PART NO: 零件編號		3 of 3	